


Data sheet

LinkFix stopend panel 0.75 mm

Profiled rib lath formwork as stopend panel for construction joints. Material: Profiled rib lath formwork of bright steel, thickness 0.75 mm. The profile corresponds to DIN1045-1 and EC2 and is therefore to be classified as an interlocking construction joint. Profile: 57 x 41 x 20 mm Sheet size: Length: 240 cm Width: 80 cm



Show product



Product video in further languages





article group: 229 - Streckmetall-LinkFix und LinkForm GTIN: 4251689540400 customs tariff number: 73145000 packing unit: sq sales quantity unit: 1 qm weight per: sq = 2.6 kg material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste disposal regulations.	article number:	020050
customs tariff number: 73145000 packing unit: sq sales quantity unit: 1 qm weight per: sq = 2.6 kg material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	article group:	229 - Streckmetall-LinkFix und LinkForm
packing unit: sales quantity unit: 1 qm weight per: sq = 2.6 kg material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	GTIN:	4251689540400
sales quantity unit: 1 qm weight per: sq = 2.6 kg material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	customs tariff number:	73145000
weight per: sq = 2.6 kg material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	packing unit:	sq
material: bright steel colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	sales quantity unit:	1 qm
colour: silvery material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	weight per:	sq = 2.6 kg
material thickness: 0,75 mm profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	material:	bright steel
profile: 57 x 41 x 20 mm packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	colour:	silvery
packaging: palett / 100 sheets = 192 m² thermal scope of A1 according to DIN EN 13501-1 and DIN 4102-1 application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	material thickness:	0,75 mm
thermal scope of application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	profile:	57 x 41 x 20 mm
application: storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	packaging:	palett / 100 sheets = 192 m²
storage: store in a dry place disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	thermal scope of	A1 according to DIN EN 13501-1 and DIN 4102-1
disposal: Can be disposed of at municipal waste landfill sites or waste incineration plants, taking into account the local waste	application:	
waste incineration plants, taking into account the local waste	storage:	store in a dry place
waste	disposal:	Can be disposed of at municipal waste landfill sites or
		waste incineration plants, taking into account the local
disposal regulations.		waste
		disposal regulations.
Dimensions: 2400 x 800 mm	Dimensions:	2400 x 800 mm



Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of LinkFix stopend panel 0.75 mm. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Print date 14.05.2024, last modified 24.03.2022