

Installation tutorial

PROTECT Easy 1 K

Single-component polymer-based concrete adhesive

article number: 040030



[Show product](#)



Installation tutorial:



PROTECT Easy 1K is supplied in a complete set ready for application. It is suitable for bonding of all common fibre cement distance tubes with fibre cement plugs.



Remove loose particles inside the distance tubes and clean the inside using the cleaning brush.



Clean the distance tube from dust.



PROTECT Easy 1K is immediately ready for use. Open the bag.



Press the quantity required for bonding into the processing cup.



The aluminium bag can easily be resealed using the clip.



Dip the fibre cement plug into **PROTECT Easy 1K**. The amount of material applied must be sufficient to enable full-faced bonding of the sides of the plug with the inside of the distance tube.



Push the first plug slightly further inside the distance tube to be bonded.



Apply the same amount of **PROTECT Easy 1K** onto a second plug and push it into the distance tube as well. This second plug will push both plugs into their desired final positions.



Finally smooth off the surface with your finger.



This serves to achieve both a visually appealing surface and a surface completely sealed and waterproofed with **PROTECT Easy 1K**.

Status: 23.03.2022

Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of PROTECT Easy 1 K. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Print date 19.04.2024