

Installation tutorial

STOPPER maxi 22 (21.5-23 mm) with cone

for distance tubes inner diameter 21.5 – 23 mm

article number: 046160



[Show product](#)



Product video in further
languages



Installation tutorial:




Required tooling:

Hard rubber mallet: 1500 - 2000 g

Cleaning brush for tube 21.5 - 26 mm (Art.-Nr.: 046170)

Drive-in aid (Art.-Nr.: 046180)



Soiled distance tubes must be thoroughly cleaned before installing the STOPPER.

The entire installation area must be properly cleaned as otherwise it will not be possible to drive in the STOPPER to its final depth.



The **STOPPER maxi** can only be used as the outer closure of the distance tube if cones are used.



The **STOPPER maxi** is installed by driving it in with a hard rubber mallet (weight 1500 - 2000 g) using reasonable force.



The **STOPPER maxi** must be driven in to its full depth, i.e. flush with the concrete surface.

!! The STOPPERS must always be driven in at both ends of the distance tube !!

When driving in the second **STOPPER maxi** on the other end of the tube, it may appear that it is not possible to drive it in completely. This is due to compressed air trapped between the two STOPPERS.

If this situation occurs, simply wait and give the air time to escape before continuing to drive in the STOPPER into its final position.

Status: 23.03.2022

Accessories

Cleaning brush for tie points

...

STOPPER drive-in aid

...

Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of STOPPER maxi 22 (21.5-23 mm) with cone. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Print date 23.04.2024