

Installation tutorial


MASTER joint sheet metal

fully coated, Dim: 160/25 mm

article number: 070200



[Show product](#)



Product video in further languages



Installation tutorial:



The product is delivered in a wooden crate.

The **MASTER joint sheet metal** elements and the fixing clips are in the crate.



Remove the lower protective film



Place element on top of upper reinforcement layer



Place the **MASTER joint sheet metal** element in the centre of the rising wall on top of the upper reinforcement layer.

The embedment depth in the concrete must be at least 3 cm and must not be more than half the height of the sheet metal (8 cm).

Overlap **MASTER joint sheet metal** by 5 cm and press together



Secure the joint with a fixing clip



Fix the element's support rail using a tie wire.

Simply bend the element in the corner area.

If our MASTER joint sheet metal SFE adjustable is used, in the rising wall, the prefabricated MASTER joint sheet metal angle 90° must be used.



The **MASTER joint sheet metal** elements can be bent in any way.

Waterproofing of staggered levels is also possible without any problems

Once the foundation slab has been concreted, and before the wall formwork is closed or the double wall elements have been set up, the remaining protective foil must be removed.

The concreting of the wall base and corresponding preparations must be carried out in accordance with the established technical standards.

Status: 23.03.2022

Accessories

MASTER joint sheet metal angle 90°

prefabricated angle 90 ° with
fixing rail ...

Joint sheet metal/joint tape connector set

The joint sheet metal/joint
tape connector establishes a
reliable pressure water-tight
connection between PVC joint
tapes and coat...



Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of MASTER joint sheet metal. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Print date 02.05.2024