

data sheet download

MMF 140 MASTER-Connect "active"

for joint tape widths up to 150 mm



[Show product](#)



Seite 1 von 3

QUELLBÄNDER · FUGENBLECHE · INJEKTIONSSCHLÄUCHE | BAUCHEMIE · DRUCKWASSERDICHTHE HAUSEINFÜHRUNGEN · BLITZSCHUTZ · SCHALUNGSZUBEHÖR

MASTERTEC GmbH & Co. KG
Gewerbegebiet Unterhaid
Im Maintal 13
D-96173 Oberhaid
Ust.-Id.Nr.: DE 812533130

Tel.: +49 (0) 9503 5047-0
Fax: +49 (0) 9503 5047-20
info@Mastertec.eu
www.Mastertec.eu
EORI-Nr.: DE 4774124

Kommanditgesellschaft:
HRA 9888, Sitz Oberhaid
Komplementär: BBV Bau-
Vertriebs-Verwaltungs GmbH,
HRB 3636, Sitz Oberhaid
Amtsgericht Bamberg

Geschäftsführer:
Rainer Kropfelder
Dipl.-Kffr. Gabriele Kropfelder
Felix Kropfelder
Jakob Kropfelder, B.Sc.

Bankverbindung:
Sparkasse Bamberg
IBAN: DE24 7705 0000 0810 3458 84
BIC: BYLADEM1 SKB

article number:	070605
GTIN:	4251689513336
customs tariff number:	72123000
packing unit:	pc
sales quantity unit:	1 Stk
weight per:	pc = 2 kg
material:	steel plates: St 37, bright intermediate plates: specialty rubber screws: galvanised
colour:	grey, black, ochre
length steel plates/intermediate plates:	150 mm
width steel plates/intermediate plates:	100 mm
thickness steel plates / intermediate plates:	Approx. 6 mm / 10 mm
swelling tape:	MASTERSTOP SK Size: 20 x 5 mm
pressure water-tightness:	up to max. 5 bar (50 m water column)
test certificate / approvals:	Investigation report MFPA Leipzig No.: PB 5.1/17-568-1
packaging:	1 piece / carton pre-assembled
carton content:	2 pcs. steel plates, St 37,bright 2 pcs. intermediate plates, Specialty rubber 4 pcs. washers, NBR 2 pcs. screws M 10, galvanised 2 pcs. nuts M 10, galvanised
storage:	Store in undamaged and unopened original packaging in a dry place out of direct sunlight.
disposal:	Can be disposed of at municipal waste landfill sites, taking into account the local waste disposal regulations.

Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of MMF 140 MASTER-Connect "active". It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third-party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Printdate 30.12.2020