

Installation tutorial

MASTER-RING Multi Ø 100 mm - T

Gasket insert with onion-ring technology for subsequent installation

article number: 120135T




[Show product](#)




Installation tutorial:



Adjust the sealing insert of the **MASTER-Ring Multi split version** to the diameter of the media line. To do this, push the required rings backwards through the seal.



Remove the locking clip of the **MASTER-Ring Multi split version**



Open the gasket on the side of the puzzle pieces.



Place the **MASTER-Ring Multi split version** around the installed pipe.



Close the gasket and reinstall the locking clip and close it as well.

Push the seal into the annular gap.



Tighten the screws crosswise through one turn.



Tighten the screws to the specified max. torque. (\emptyset 100/150/200 = 5Nm; \emptyset 250 = 10Nm).

Check the torque after 1-2 hours and retighten the screws if necessary.

Basis

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

Indication of law

The technical information reflects our current knowledge of MASTER-RING Multi Ø 100 mm - T. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

The previous data sheets are no longer valid

Print date 17.05.2024